

United States Patent and Trademark Office

ENITED STATES DEPARTMENT OF COMMERCE Enited States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

		, , , , , , , , , , , , , , , , , , ,		
- APPLICATION NO:	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/158,099	09/22/1998	KENJI MIWA	0163-0707-2X	3529
22850	7590 12/21/2004		EXAMINER	
OBLON, SF 1940 DUKE	PIVAK, MCCLELLAN	LIN, KUANG Y		
ALEXANDRIA, VA 22314			ART UNIT	PAPER NUMBER
	•		1725	

DATE MAILED: 12/21/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

				>11		
		Application No.	Applicant(s)			
Office Action Summary		09/158,099	MIWA ET AL.			
		Examiner	Art Unit			
		Kuang Y. Lin	1725			
Period f	The MAILING DATE of this communication or Reply	appears on the cover sheet w	ith the correspondence addres	is		
THE - External control	HORTENED-STATUTORY PERIOD FOR RE MAILING DATE OF THIS COMMUNICATIC ensions of time may be available under the provisions of 37 CFr SIX (6) MONTHS from the mailing date of this communication is period for reply specified above is less than thirty (30) days, a poperiod for reply is specified above, the maximum statutory per ure to reply within the set or extended period for reply will, by streply received by the Office later than three months after the month adjustment. See 37 CFR 1.704(b).	N. R 1.136(a). In no event, however, may a r . I reply within the statutory minimum of thir riod will apply and will expire SIX (6) MON atute, cause the application to become AE	reply be timely filed ty (30) days will be considered timely. ITHS from the mailing date of this commu BANDONED (35 U.S.C. § 133).	nication.		
Status						
1) 🛛	Responsive to communication(s) filed on 1	3 October 2004.				
2a)□	· · ·	This action is non-final.				
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the ments is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposit	ion of Claims					
5)□ 6)⊠ 7)□	 Claim(s) 15,18,20 and 21 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. □ Claim(s) is/are allowed. □ Claim(s) 15,18,20 and 21 is/are rejected. 					
Applicat	ion Papers					
10)	The specification is objected to by the Example The drawing(s) filed on is/are: a) applicant may not request that any objection to Replacement drawing sheet(s) including the contract of the oath or declaration is objected to by the	accepted or b) objected to the drawing(s) be held in abeyar rection is required if the drawing	nce. See 37 CFR 1.85(a). (s) is objected to. See 37 CFR 1.	` '		
Priority	under 35 U.S.Ć. § 119	•				
a)	Acknowledgment is made of a claim for fore All b) Some * c) None of: 1. Certified copies of the priority docum 2. Certified copies of the priority docum 3. Copies of the certified copies of the papplication from the International But See the attached detailed Office action for a	ents have been received. Lents have been received in Appriority documents have been reau (PCT Rule 17.2(a)).	pplication No received in this National Stag	ge		
Attachmen		. » 🗆	(070.445)			
2) Notic	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB er No(s)/Mail Date	Paper No(s	Summary (PTO-413) s)/Mail Date nformal Patent Application (PTO-152)		

Application/Control Number: 09/158,099 Page 2

Art Unit: 1725

1. The specification is objected to in that in page 13, the lines below table 1 and 2, respectively, it refers to claims 4-5 and claim 6-10. However, those claims were canceled. Correction is required.

- 2. The following is a quotation of the first paragraph of 35 U.S.C. 112:
 - The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.
- 3. Claims 15, 18, 19 and 21 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

There is no support in the specification for the claimed features of (1) shifting the small pieces to a periphery of a cylindrical tube or container by alternating a magnetic field using an electromagnetic coil (claim 15); alternating a stationary magnetic field using the electromagnetic coil (claim 20); and (3) shifting the small pieces to an end portion of the metallic material in the cylindrical tube or container (claim 21).

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of

Art Unit: 1725

the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

6. Claims 15,18, 20 and 21 without considering the new matter are rejected under 35 U.S.C. 103(a) as being unpatentable over Vives

Vives discloses a grain refinement method for aluminum alloy (page 448, left col., last paragraph and right col., 4th complete paragraph) by applying an electric current and a magnetic field simultaneously (page 446, right col., 3rd complete paragraph and the junction paragraph between pages 447 and 448) to the molten aluminum alloy during a solidification process at temperature lower than a liquidus of the alloy (page 446, right col., last paragraph, page 447, right col., second complete paragraph and page 449, right col., 1st complete paragraph). Although he does not mention the feature of shifting a refined material to a periphery of a container to yield the refined material concentrated in an end portion of the metallic material, apparently, his process will produce the same result as that of applicants since he performs the identical process steps as that of applicants. In short, Vives substantially shows the invention as claimed except that he does not show the container is in cylindrical shape. However, it would

Art Unit: 1725

have been obvious to use the container of any configuration in the process of Vives depending on the designated metallic casting article to be obtained.

7. Claims 15, 18, 20 and 21 without considering the new matter are rejected under

35 U.S.C. 103(a) as being unpatentable over Radjai et al and further in view of Vives.

Radijai et al substantially show the invention as claimed except they does not disclose to crush solid crystals into small pieces during a solidification process at temperatures lower than the liquidus. However, Vives discloses two distinct causes of grain refinement, represented by fluid flow and cavitation phenomena. in a solidifying liquid metal (see page 448, right col. last paragraph). In the absence of cavitation and for a sufficient intensity of the oscillating flow, the columnar-dendritic crystallization is replaced by a microstructure characterized by the formation of agglomeration of globular particles. On the other hand, when an alloy is solidified in the presence of well-developed cavitation situations, a very fine and homogeneous microstructure has been observed throughout ingot (see page 449, right col. second paragraph and page 454, left col. second paragraph). He also discloses that gas content in the liquid metal (see page 449, left col. second paragraph) and the intensity of magnetic pressure contributed to the cavitation phenomena (see page 449, left col. last paragraph through page 449, right col. last paragraph). It would have been obvious to manipulate the gas content of aluminum alloy and the magnetic pressure during the solidification process of Radjai et al in view of Vives such that to obtain well-developed cavitation situations in the molten metal at the temperature lower than the

Application/Control Number: 09/158,099

Art Unit: 1725

obvious to use the container of any configuration in the process of Vives depending on the designated metallic casting article to be obtained.

Page 5

- 8. Applicant's arguments filed October 13, 2004 have been fully considered but they are not persuasive.
 - In page 5 of the remarks applicant stated that Vives does not teach or a. suggest "shifting the small pieces to a periphery of a cylindrical tube or container by alternating a magnetic field using an electromagnetic coil disposed such that the electromagnetic coil envelops the metallic material to yield the refined microstructure of the metallic material concentrated in the periphery of the cylindrical tube or container" as claimed in claim 15. However, it is noted that Vives discloses a grain refinement method for aluminum alloy by applying an electric current and a magnetic field simultaneously to the molten aluminum alloy during a solidification process at temperature lower than a liquidus of the alloy. The process is identical to that of as claimed in claim 15. Thus, it is expected that the cast structure of Vives will be the same as that of instant process. Although he does not mention the feature of shifting a refined material to a periphery of a container to yield the refined material concentrated in an end portion of the metallic material, apparently, his process will produce the same result as that of applicants since he performs the identical process steps as that of applicants, i.e. if there is a function of alternating a magnetic field using an electromagnetic coil in applicant's process, it will have a same function in the

Application/Control Number: 09/158,099

Art Unit: 1725

process of Vives. Without showing any evidence that the small pieces of Vives are not shifted to a periphery of a container to yield said refined microstructure of the metallic material concentrated in the periphery of the container, the claimed process is deemed to be unpatentable over the teaching of Vives. Apparently, in the initial stage of Vives' process the small pieces are shifted to the periphery of the container as in the instant process. As the process progressing, the

Page 6

periphery of the container is saturated with the small pieces and the small pieces generated at the later stage is accumulated at the region beneath the periphery of the container, and finally the entire ingot is full of small pieces and become a

homogeneous structure.

b. In page 6 of the remarks applicant stated that Radjai does not teach or suggest "shifting the small pieces to a periphery of a cylindrical tube or container by alternating a magnetic field using an electromagnetic coil disposed such that the electromagnetic coil envelops the metallic material to yield the refined microstructure of the metallic material concentrated in the periphery of the cylindrical tube or container" as claimed in claim 15. However, it is noted that Radjai discloses a grain refinement method for aluminum alloy by applying an electric current and a magnetic field simultaneously to the molten aluminum alloy during a solidification process. Thus, it is expected that the cast structure of Radjai will be the same as that of instant process. Although he does not mention the feature of shifting a refined material to a periphery of a container to yield the refined material concentrated in an end portion of the metallic material,

Application/Control Number: 09/158,099

Art Unit: 1725

apparently, his process will produce the same result as that of applicants since he performs the identical process steps as that of applicants, i.e. if there is a function of alternating a magnetic field using an electromagnetic coil in applicant's process, it will have a same function in the process of Radjai. Without showing any evidence that the small pieces of Radjai are not shifted to a periphery of a container to yield said refined microstructure of the metallic material concentrated in the periphery of the container, applicant's argument is not deemed to be persuasive.

Page 7

- c. In page 6 of the remarks applicant further stated that Radjai reduces the silicon particle size by vibrations at temperature *higher* than a liquidus and does not apply an electric current and a magnetic field simultaneous to the *solidifying* metallic material. However, it is noted that Radjai also states that the silicon particles are agglomerated and repelled to the outer surface after the start of the solidification. Thus, it is apparent that the Radjai does teach to apply two fields at the temperature *above and below* the liquidus temperature.
- d. Further, even if Radjai does not teach to apply two fields at the temperature lower than the liquidus, Vives does teach to develop a cavitation in molten material at a temperature *lower* than the liquidus for crushing metallic particle into small pieces, it would have been obvious to continue apply the electric current and the magnetic field simultaneous to the *solidifying* metallic material to better refine the casting structure of Radjai in view of Vives.

Application/Control Number: 09/158,099 Page 8

Art Unit: 1725

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kuang Y. Lin whose telephone number is 571-272-1179. The examiner can normally be reached on Monday-Friday, 10:00-6:30,.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas X Dunn can be reached on 571-272-1171. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Kuang Y. Lin Primary Examiner Art Unit 1725

12-16-04